

Kit 1571

Audi A5, 2-dr Coupé, 07- / *08-


Audi S5, 2-dr Coupé, *08-

Audi A5 Sportback, 5-dr Hatchback, 09- / *10-



Audi S5 Sportback, 5-dr Hatchback, *10-

Without glass roof


*North America



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



754 Rapid System
480R Rapid Traverse (North America)

480 Traverse (North America)



1






2





754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4



480 Traverse
(North America)



x4

3



754 Rapid System




	X
Audi A5, 2-dr Coupé, 07- / *08-	39
Audi S5, 2-dr Coupé, *08-	39
Audi A5 Sportback, 5-dr Hatchback, 09- / *10-	39
Audi S5 Sportback, 5-dr Hatchback, *10-	39



	Y
Audi A5, 2-dr Coupé, 07- / *08-	36
Audi S5, 2-dr Coupé, *08-	36
Audi A5 Sportback, 5-dr Hatchback, 09- / *10-	37
Audi S5 Sportback, 5-dr Hatchback, *10-	37

3




480R Rapid Traverse




480 Traverse

(North America)




	X inch	X mm
Audi A5, 2-dr Coupé, 07- / *08-	41 "	1041 mm
Audi S5, 2-dr Coupé, *08-	41 "	1041 mm
Audi A5 Sportback, 5-dr Hatchback, 09- / *10-	41 "	1041 mm
Audi S5 Sportback, 5-dr Hatchback, *10-	41 "	1041 mm




	Y inch	Y mm
Audi A5, 2-dr Coupé, 07- / *08-	39 ³/₄ "	1011 mm
Audi S5, 2-dr Coupé, *08-	39 ³/₄ "	1011 mm
Audi A5 Sportback, 5-dr Hatchback, 09- / *10-	40 ¹/₄ "	1021 mm
Audi S5 Sportback, 5-dr Hatchback, *10-	40 ¹/₄ "	1021 mm

4




5


Audi A5, 2-dr Coupé, 07- / *08-
Audi S5, 2-dr Coupé, *08-




Audi A5 Sportback, 5-dr Hatchback, 09- / *10-
Audi S5 Sportback, 5-dr Hatchback, *10-








A





B









C



6



	X mm	Y mm	X inch	Y inch
Audi A5, 2-dr Coupé, *07- / *08-	180 mm	685 mm	7 1/8"	27"
Audi S5, 2-dr Coupé, *08-	180 mm	685 mm	7 1/8"	27"
Audi A5 Sportback, 5-dr Hatchback, 09- / *10-	140 mm	730 mm	5 1/2"	28 3/4"
Audi S5 Sportback, 5-dr Hatchback, *10-	140 mm	730 mm	5 1/2"	28 3/4"



7



GB/US	Tighten alternately
D	Die Schrauben abwechselnd anziehen
F	Serrer alternativement chaque côté
NL	Afwisselend aan de linker- en de rechterkant aandraaien
I	Alternare il serraggio delle viti
E	Apertar alternativamente
PT	Aperte alternadamente
S	Dra åt växelvis
FIN	Kierrä vuorotellen
EST	Pinguldage vaheldumisi
LAT	Pielveiciet pamišus
LIT	Užsukinėkite pakaitomis
PL	Śruby dokręcaj naprzemiennie
RU	Загряивайте попеременно


CZ	Pokręřta багаžnika dokręcaj naprzemiennie.
SK	Dofahajte striedavo
SLO	Privijajte izmenično.
HR	Naizmjenično zategnite
HU	Egymástól függetlenül szorítandó
GR	Σφιγίγες ενολάξ
TR	Dönüşümlü sıkın

中文 交替拧紧



한국어 번갈아 가며 조이십시오.



日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ





8





THULE
SWEDEN
**ONE
KEY
SYSTEM**



544 (x4)


596 (x6)

588 (x8)

NA **510** (x10)

EUR **452** (x12)

ASIA



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN

NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com

customer.service@thule.com

 www.thule.com

503-1571-02